

SeaOil™

Natural Pacific Whiting Oil

SeaOil™ is derived from the fresh cuttings of Pacific Whiting (*Merluccius productus*) harvested and processed for human consumption. All processing is domestic and shore-based. All facilities are federally inspected. It is a novel feed ingredient that is certified as sustainable by the [Marine Stewardship Council](#). Achieving these quality standards reflects our commitment to worldwide marine resource management that is responsible and sustainable, and to best manufacturing practices. Additionally, it is the best way to ensure our product is wholesome, renewable and consistently available.

SeaOil™ is a crude oil that retains a complete profile of all naturally-occurring fatty acids. It has applications in a variety of animal feeds to provide dietary energy and supply critical omega-3 docosahexaenoic (DHA) and eicosapentaenoic (EPA) fatty acids. This ingredient is stabilized with natural antioxidants.

SeaOil™ is a product of the United States of America. Our company benefits from vertical integration within a human seafood company, Pacific Seafood Group, through access to their electronic tracking of fish catch, landings and processing, and the subsequent disposition of fresh fish cuttings. Pacific Seafood Group maintains strict quality standards based on scientifically-derived FSMA/HACCP systems at all our locations to ensure that the product you receive is the highest quality.

Customers are always welcome to visit our facilities and review our practices. Our definition of excellence, “*consistently doing your best and always striving to do better*”, demonstrates our commitment to providing a traceable, sustainable and wholesome product to our customers and yours.

Guaranteed Analysis

Crude Fat (min)	98.5 %
Moisture/Impurities (max)	1.5 %
Free Fatty Acid (max)	5.0 %

Typical Composition

Free Fatty Acid (as oleic)	3.0 %
Iodine Value (Wijs)	115-160
Moisture Impurities	0.5 %
Vitamin A	900,000 IU / kg
Vitamin D	15,000 IU / kg

Fat Stability

Mixed Tocopherols	1500 ppm
Peroxide Value	3.0 mEq / kg

Fatty Acid Profile

		% Oil
Myristic	C14:0	3.3
Palmitic	C16:0	21.8
Palmitoleic	C16:1	7.3
Stearic	C18:0	3.5
Cis-Oleic	C18:1 n-9	28.7
Cis-Linoleic	C18:2 n-6	1.3
α -Linolenic	C18-3 n-3	0.8
Cis-11,14,17-Eicosatrienoic	C20:3 n-3	0.2
Arachidonic	C20:4 n-6	1.1
Eicopentaenoic (EPA)	C20:5 n-3	14.6
Erucic	C22:1 n-9	1.0
Docosahexaenoic (DHA)	C22:6 n-3	9.9
Saturated		30.0
Mono-unsaturated		38.5
Poly-unsaturated		29.5
Omega-3		26.6
Omega-6		2.8

Product Characteristics

Color	Tan to amber
Odor	Mild fish
Physical	Liquid at room temperature
Density	7.25 – 7.75 lb / gal
pH	6.0 – 6.25
Storage	Store in a cool, dry location
Stability	6 months when appropriately stored

Packaging

Bulk tankers or 2,000 lb liquid totes

AAFCO Definition

Fish oil, marine fish oil

Certification

Marine Stewardship Council (MSC-C-54072)

Processing Statements

Allergen: This product contains fish and is processed in a facility that processes crustacean shellfish.

This product is not intended for human consumption.

Typical Values

The value for mixed tocopherols is a residual and typical content for the product at the time of shipping.

The value for peroxide is a typical value for the product at the time of shipping.

The values for fatty acids, iodine, vitamins and product characteristics are typical and expected.

Manufacturer

Pacific Bio Products- Newport, LLC

1310 SW Bay Blvd

Newport, OR 97365

w: www.biooregonprotein.com

e: biooregonmarketing@pacseafood.com

p: 541-265-8764

Technical and Sales Inquiries

Bing Brackeen

Technical Product and Market Development

e: bbrackeen@pacseafood.com

p: 503-861-2256 ext. 8808 | c: 971-601-0793

Annette Takko

Quality Assurance Manager

e: atakko@pacseafood.com

p: 503-861-2256 ext. 8811 | c: 503-440-8998

Sales

Gary Acker

International and Domestic Sales/ Global Logistics Manager

e: gacker@pacseafood.com

p: 503-905-4589 | c. 503-260-4127

September 20, 2019